

Swine Barn Wash Rack

- We need a new wash rack and connected to a sewer
- Locating it so it can be used for more than just the County Fair
- Talked with several groups affiliated with the barn and showing swine, architect, builders and other groups that use our facilities
 - Multi-purpose wash rack
 - Restrooms and showers
 - Central location
 - Fit the long term plan
- Design Alliance contacted the State and buildings on fairgrounds are excluded from fire suppression systems from the building code for additions or buildings that are used less than 180 days or fewer per year as long as they have garage door style openings that remain open to public when being used.
- The wash rack needs to be plumbed into the sewer system and be covered to prevent rainwater from entering the sewer system.
- Design Alliance designed a plan according to information I gave him with adding a restroom to the west.
- The lift pump would be built where a future restroom would be
- Duck Creek Engineering recommended nearer this area also for getting power out of the Draft Barn and it is where the controls would be until a restroom was built for the dual lift pumps.
- Bos Cleary engineered a building to be placed near the west side of Swine barn. 24' wide by 16' deep. \$7,500
- Gallitz Grading every year does a sponsorship for trade with Fair and this year's project was to be excavating and installing a wash rack pit and lift pump pit. The county would pay for the material. Lift pump and the pit and connecting pipe and to the wash rack pit for material at about \$10,000.
- The concrete we were to be put out for bids to with a sponsorship package after the plans are approved.

Note;

We did receive a grant from Compeer Financial for \$3,000

A grant was applied for at the Dairy Breakfast

Budget is \$25,000



VERIFY ALL CONDITIONS AND DIMENSIONS ON SITE AND NOTIFY THE DESIGNER IMMEDIATELY OF ANY DISCREPANCIES PRIOR TO START.

14-005

PRELIMINARY
NOT FOR
CONSTRUCTION

ALL DRAWINGS ARE
1/2\"/>


207
207 SULLY STREET, JEFFERSON COUNTY, WISCONSIN 53539
SCALE: PERSON TO PERSON
DATE: MAY 11, 2015

DRAWING NAMES	
SITE PLAN	
REVISIONS	
PROJECT DATA	
DATE:	5/11/2015
DRAWN BY:	CL
CHECKED BY:	PW
SHEET NO.	
SP-1	


JEFFERSON COUNTY FAIRGROUNDS
RESTROOM & WASHROOM ADDITION
311 S. Center Avenue
Jefferson, WI

Design Alliance Architects, Inc.
1053 Madison Avenue
Fort Atkinson, WI (920) 563-3404

VERIFY ALL CONDITIONS AND DIMENSIONS ON THE JOB AND NOTIFY THE DESIGN ALLIANCE ARCHITECTS, INC. OF ANY DISCREPANCIES PRIOR TO START.



BUILDING SECTION
 SCALE: 1/2" = 1'-0"
 2018 JEFFERSON COUNTY FAIRGROUNDS DATE: MAY 11, 2018



PRELIMINARY
 NOT FOR
 CONSTRUCTION
 ALL DRAWINGS ARE
 1/2" SCALE SHOWN

PARTIAL FLOOR PLAN
 SCALE: 1/2" = 1'-0"
 2018 JEFFERSON COUNTY FAIRGROUNDS DATE: MAY 11, 2018

<p>A-1</p>	<p>PROJECT DATA</p> <p>DATE: 5/17/2018</p> <p>DRAWN BY: CJ</p> <p>CHECKED BY: RW</p> <p>SHEET NO.</p>	<p>REVISIONS</p>	<p>DRAWING NAMES</p> <p>WASHROOM FLOOR PLAN</p> <p>BUILDING SECTION</p>	<p>JEFFERSON COUNTY FAIRGROUNDS RESTROOM & WASHROOM ADDITION</p> <p>311 S. Center Avenue</p> <p>Jefferson, WI</p>	<p>Design Alliance Architects, Inc.</p> <p>1003 Madison Avenue</p> <p>Fort Alliance, WI</p> <p>(920) 563-3404</p>
-------------------	---	------------------	---	---	--

RESOLUTION NO. 2018-__

Ratifying professional services agreement to replace chiller for the jail air conditioning system

Executive Summary

As part of the Jefferson County jail air conditioning system renovation project, it was determined that the chiller for the jail air conditioning system was in need of replacement. The replacement cost was funded using jail assessment funds approved by the Law Enforcement and Emergency Management Committee (70 percent) in the amount of \$34,198.50 which are collected from jail inmates in accordance with Wisconsin Law, and budgeted central services funds (30 percent) in the amount of \$14,656.53. The total cost for the jail air conditioning chiller is \$48,855.03. This resolution ratifies the professional services agreement entered into to complete this project. The Law Enforcement and Emergency Management Committee considered this expenditure of jail assessment funds and professional services agreement at its meeting on May 25, 2018, and recommended forwarding a resolution to the County Board for approval.

WHEREAS, the Executive Summary is incorporated into this resolution, and

WHEREAS, it has been determined that the chiller for the jail air conditioning system is in need of replacement, and

WHEREAS, a majority of the cost of replacement (70 percent) was funded through jail assessment funds with the balance funded through the central services budget, and

WHEREAS, the total cost of replacement is \$48,855.03, and

WHEREAS, this resolution ratifies the professional services agreement entered into to replace the chiller for the jail air conditioning system.

NOW, THEREFORE, BE IT RESOLVED by the Jefferson County Board of Supervisors that the professional services agreement entered into to replace the chiller for the jail air conditioning system is hereby ratified in the amount of \$48,855.03.

Fiscal Note:

Ayes _____ Noes _____ Abstain _____ Absent _____ Vacant _____

Requested by
Law Enforcement & Emergency Management Committee

06-12-18

J. Blair Ward: 06-05-18

REVIEWED: Administrator _____; Corp. Counsel _____; Finance Director _____